

GymBeam s.r.o.

Sláviková

Rastislavova 93

040 01 Kosice - mestská časť Juh

Slovakia



Contact person:

Rebecca Rugo

Phone +49 40 797172-435

r.rugo@gba-group.de

Certificate of analysis 25005485 - 007

Sample name : BIO Rice Protein - VanaVita 500 g - chocolate biscuit - 1 x 500 g

Marking of sample : L24139.02 25-04-2026

Customer No. : BIO Rice Protein - VanaVita 500 g - chocolate biscuit

Packaging : Commercial package

Sample amount : 1 x 500 g

Shipping of sample : Courier Service

Sample entry : 03.02.2025

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 03.02.2025 / 11.02.2025

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. Our general terms and conditions can be viewed on our website (gba-group.com/aqb).

Certificate of analysis : 25005485 - 007

Sample name : BIO Rice Protein - VanaVita 500 g - chocolate biscuit - 1 x 500 g

Test Results

<i>Microbiological Test</i>	<i>Result</i>	<i>Unit</i>
Coliforms	<10	cfu/g
Yeasts / moulds		
Yeasts	<10	cfu/g
Moulds	<10	cfu/g
E. coli	<10	cfu/g
Salmonella	negative	/ 25 g

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>
Lead	0,024	mg/kg
Cadmium	0,036	mg/kg
Mercury	<0,010	mg/kg

Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

Hamburg, 11.02.2025

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

This test report is done automatically and is valid without signature.

Methods

<i>Parameter</i>	<i>Method</i>
Coliforms	ISO 4832: 2006-02 ^a ₀
Yeasts / moulds	BIOKAR Diagnostics, Symphony-Agar BM20208/BM19108: 2022-11 ^a ; validated according to EN ISO 16140-2 against EN ISO 21527-1/-2 2008-11 ₀
E. coli	Biomerieux, Rebecca-Agar AEB520020/AEB150022: 2020-09 ^a ; validated according to EN ISO 16140-2 against ISO 16649-2 2001-07 ₀
Salmonella	DIN EN ISO 6579-1: 2020-08 ^a ₀
Lead	DIN EN 15763, ICP-MS: 2010-04 ^a ₅
Cadmium	DIN EN 15763, ICP-MS: 2010-04 ^a ₅
Mercury	DIN EN 15763, ICP-MS: 2010-04 ^a ₅

With ^a marked methods are accredited.

Testing laboratory: ₀GBA Hamburg ₅GBA Pinneberg

Certificate of analysis : 25005485 - 007

Sample name : BIO Rice Protein - VanaVita 500 g - chocolate biscuit - 1 x 500 g