

GymBeam s.r.o.

Rastislavova 93  
040 01 Kosice - mestská časť Juh  
Slovakia



Contact person:  
Rebecca Rugo  
Phone +49 40 797172-435  
r.rugo@gba-group.de

### **Certificate of analysis 25022070 - 001**

Sample name : FIT Asian Style Chicken with Rice Ready to Eat - GymBeam 420 g

Marking of sample : 1153030425  
03.2026

Customer No. : none

Packaging : Commercial package/cardboard box

Sample amount : 2 x 420 g

Shipping of sample : Courier Service

Sample entry : 08.05.2025

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 08.05.2025 / 16.05.2025

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. Our general terms and conditions can be viewed on our website ([gba-group.com/aqb](http://gba-group.com/aqb)).

1 von 3

Certificate of analysis : 25022070 - 001

Sample name : FIT Asian Style Chicken with Rice Ready to Eat - GymBeam 420 g

## Test Results

| <i>Microbiological Test</i>           | <i>Result</i> | <i>Unit</i> |
|---------------------------------------|---------------|-------------|
| Total Plate Count                     | <10           | cfu/g       |
| Yeasts / moulds                       |               |             |
| Yeasts                                | <10           | cfu/g       |
| Moulds                                | <10           | cfu/g       |
| Salmonella                            | negative      | / 25 g      |
| Listeria monocytogenes                | <10           | cfu/g       |
| Spores of anaerobic, mesophilic germs | <10           | cfu/g       |

| <i>Chemical/Physical Test</i> | <i>Result</i> | <i>Unit</i> |
|-------------------------------|---------------|-------------|
| Lead                          | <0,020        | mg/kg       |
| Cadmium                       | <0,010        | mg/kg       |
| Mercury                       | <0,010        | mg/kg       |
| Arsenic                       | <0,040        | mg/kg       |

### Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

Hamburg, 16.05.2025

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

*This test report is done automatically and is valid without signature.*

## Methods

| <i>Parameter</i>                      | <i>Method</i>                                                                                                                                                  |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Total Plate Count                     | DIN EN ISO 4833-2: 2022-05 <sup>a</sup> <sub>0</sub>                                                                                                           |
| Yeasts / moulds                       | BIOKAR Diagnostics, Symphony-Agar BM20208/BM19108: 2022-11 <sup>a</sup> ; validated according to EN ISO 16140-2 against EN ISO 21527-1/-2 2008-11 <sub>0</sub> |
| Salmonella                            | DIN EN ISO 6579-1: 2020-08 <sup>a</sup> <sub>0</sub>                                                                                                           |
| Listeria monocytogenes                | DIN EN ISO 11290-2: 2017-09 <sup>a</sup> <sub>0</sub>                                                                                                          |
| Spores of anaerobic, mesophilic germs | HH-MA-M 05-068: 2023-04 <sub>0</sub>                                                                                                                           |
| Lead                                  | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>                                                                                                        |
| Cadmium                               | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>                                                                                                        |
| Mercury                               | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>                                                                                                        |
| Arsenic                               | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>                                                                                                        |

Certificate of analysis : 25022070 - 001

Sample name : FIT Asian Style Chicken with Rice Ready to Eat - GymBeam 420 g

The methods marked with <sup>a</sup> are accredited methods of the performing laboratory.

Testing laboratory: <sub>0</sub>GBA Hamburg <sub>5</sub>GBA Pinneberg